



BEAUTIFUL STRENGTH STYLE THAT MATTERS



Ultimate steel solution to meet the highest performance expectation of harsh environments.

Developed specifically for external cladding application in severe coastal and harsh industrial environments, COLORBOND® ULTRA steel's AZ200 ZINCALUME® coating class is the secret to its exceptional performance. Complimented with superior paint technology, COLORBOND® ULTRA steel guarding off the harmful effect of sea breeze, industrial fall-outs and other corrosive deposits, delivers the durable protection much needed for buildings in severe environments.

Subtly stylish, COLORBOND® ULTRA MATT steel minimize glare issue, hence maximizing visual comfort, making it the ideal choice for cladding application in the tropics.

HIGH CORROSION RESISTANCE

COLORBOND® ULTRA & COLORBOND® ULTRA MATT steel is incorporated with BlueScope's proprietary metallic coating technology – ZINCALUME® AZ200 Aluminium/Zinc alloy coated steel base substrate. It offers superior weathering performance under severe coastal and harsh industrial environment.

2 INSPIRING, LONG LASTING COLOURS By utilising optimum paint formulation and pigment blends, our proprietary super polyester paint system offer longer-lasting colour and better paint delamination resistance.

3 CLEAN TECHNOLOGY

Best defence against tropical staining, Clean Technology prevents dirt from bonding onto the surface of COLORBOND® ULTRA & COLORBOND® ULTRA MATT steel and superior tropical stain resistance, hence maintaining its attractiveness for a longer period.

4 THERMATECH® TECHNOLOGY

Less heat, more comfort. Thermatech® Technology incorporated into COLORBOND® ULTRA & COLORBOND® ULTRA MATT steel's paint system effectively lowers peak roof temperature by up to 6° C* compared to conventional paint of the same colour.

*Depending on level of insulation, colour, building shape and function.

5 WITHSTANDING THE TEST OF TIME

COLORBOND® ULTRA & COLORBOND® ULTRA MATT steel had gone through extensive tests which include accelerated laboratory corrosion tests, real-world outdoor exposure tests and actual project case studies to ensure its performance met the highest expectation in durability.

6 EMBEDDED
BRANDING TEXT
ON THE REVERSE
SIDE OF STEEL SHEET


Embedded with branding text on the reverse side of every COLORBOND® ULTRA & COLORBOND® ULTRA MATT steel sheet, this is BlueScope's commitment to quality and our assurance to you for product genuity.





Offering you a vibrant selection of colours to match your most prestigious designs.





SRI is calculated using ASTM E1980-01 with Medium Convection Coeffcient (12) value reported. This data is approximate values only, may vary based on paint formulation and/or metallic coating thickness.

The colours shown in the colour chart have been reproduced to represent actual product colours as accurately as possible.

However, we recommend you to check your chosen colour against actual sample of the product before purchasing, as varying light conditions and limitations of the printing process may affect colour tones.





For product identification and originality, please check the reverse side of the sheet for the following branding text.

Clean COLORBOND (R) ULTRA steel made by BlueScope 16:18 IH:MAY:21 II

Clean COLORBOND (R) ULTRA MATT steel made by BlueScope 16:18 01:MAY:21 II



BlueScope Steel Southern Africa (PTY) Ltd

A No. 1 Bridgeway, Bridgeways Precinct, Office 335, Cape Town, 7441 South Africa

T +27 (0)21 442 5420 W www.bluescope.co.za

Follow us on:















The information contained in this brochure is of a general nature only, and has not been prepared with your specific needs in mind. You should always obtain specialist advice to ensure that any materials, approaches and techniques referred to in this brochure meet your specific requirements.

NS BlueScope Malaysia makes no warranty as to the accuracy, completeness or reliability of any estimates, opinions or other information contained in this brochure, and to the maximum extent permitted by law, NS BlueScope Malaysia disclaims all liability and responsibility for any loss or damage, direct or indirect, which may be suffered by any person acting in reliance on anything contained in or omitted from this document

COLORBOND® is a trade mark of BlueScope Steel Limited.

BlueScope is a registered trade mark of BlueScope Steel Limited.

Copyright © 2021 NS BlueScope Malaysia Sdn. Bhd. All rights reserved. No part of this brochure may be reproduced, stored in a retrieval system, or transmitted in any form or by any means, electronic, mechanical, photocopying, recording or otherwise, without the written permission of NS BlueScope Malaysia Sdn. Bhd.